DO NOT CIRCULATE

Maryland Room
University of Maryland Library
College Park, Md.

FINAL VITAL STATISTICS TABLES. MARYLAND, 1958

(These tables include interstate correction for residence, and replace the Provisional Vital Statistics published in January, 1959.)

Division of Statistical Research and Records
Maryland State Department of Health
301 W. Preston Street
Baltimore 1, Maryland
August, 1959

MARYLAND VITAL STATISTICS TABLES FOR 1958. (FINAL REPORT)[a]

Table Number	TITLE OF TABLE
1.	Estimated population, by race. Maryland Areas, July 1, 1958
2.	Births by race, with rates. Three Maryland Areas, 1920-1958
3.	Deaths by race, with rates. Three Maryland Areas, 1920-1958
4.	Rates for births, deaths, infant deaths, maternal deaths, and stillbirths by race. Maryland Areas, 1958
5.	Infant deaths, maternal deaths and stillbirths, by race. Maryland Areas, 1958
	DETAILS OF 1958 BIRTHS
6A.	Births by race and age of mother. Three Maryland Areas
6B.	Births by race and month of birth. Three Maryland Areas
7.	Births by attendant and race, with per cent physician attended. Maryland Areas
8.	Births by hospitalization and race. Maryland Areas
9.	Births, single and plural, by birthweight and race. Three Maryland Areas
10.	Births by place of residence and occurrence, by race. Maryland Areas [b]
	DETAILS OF 1958 DEATHS
11.	Death rates for twenty leading causes by sex and race. Maryland
12.	Deaths for twenty leading causes by sex and race. Maryland
13A.	The eight leading causes of male deaths in specified age groups. Maryland
13B.	The eight leading causes of female deaths in specified age groups. Maryland
14.	Heart disease deaths by type, and cancer deaths by site, by sex and race. Maryland
15A.	Deaths by sex, race and age groups. Three Maryland Areas
15B.	Deaths by race and month of death. Maryland
16.	Deaths to Maryland residents, by type of hospital in which death occurred and race. Three Maryland Areas
17.	Deaths for selected causes. Maryland Areas
18.	Deaths by place of residence and occurrence, by race. Maryland Areas [b]
19.	MARRIAGE AND DIVORCE DATA BY AREA OF OCCURRENCE. MARYLAND AREAS, 1958
20.	ABRIDGED LIFE TABLE

a/ This report replaces the Preliminary Report released in January, 1959.

b/ Residence. Except for Tables 10 and 18, all statistics in this report refer to area of residence of the individual, even if the birth or death occurred in another county or State. Tables 10 and 18 show births and deaths by place of occurrence as well as by place of residence.

TABLE 1. ESTIMATED POPULATION, BY RACE. MARYLAND AREAS, JULY 1, 1958

Area	POPULATION			PERCENT	
	Total	White	Non-White	White	Non-White
Maryland State	2,974,800	2,492,600	482,200	83.8	16.2
Baltimore City a/	982,000	681,000	301,000	69.3	30.7
Total Counties	1,992,800	1,811,600	181,200	90.9	9.1
Allegany	83,000	81,900	1,100	98.7	1.3
Anne Arundel	188,000	161,500	26,500	85.9	14.1
Baltimore	444,000	426,700	17,300	96.1	3.9
Calvert	15,000	9,400	5,600	62.7	37.3
Caroline	18,800	15,200	3,600	80.9	19.1
Carroll	54,500	52,200	2,300	95.8	4.2
Cecil	48,000	44,900	3,100	93.5	6.5
Charles	30,000	20,800	9,200	69.3	30.7
Dorchester	28,800	20,900	7,900	72.6	27.4
Frederick	69,500	65,500	4,000	94.2	5.8
Garrett	19,000	19,000	--	100.0	-
Harford	67,000	60,900	6,100	90.9	9.1
Howard	30,500	26,200	4,300	85.9	14.1
Kent	15,500	11,500	4,000	74.2	25.8
Montgomery	291,000	278,800	12,200	95.8	4.2
Prince Georges	335,000	304,500	30,500	90.9	9.1
Queen Annes	15,200	11,100	4,100	73.0	27.0
Saint Marys	39,000	32,200	6,800	82.6	17.4
Somerset	19,500	12,500	7,000	64.1	35.9
Talbot	20,500	15,600	4,900	76.1	23.9
Washington	87,500	85,100	2,400	97.3	2.7
Wicomico	48,500	38,500	10,000	79.4	20.6
Worcester	25,000	16,700	8,300	66.8	33.2

a/ Estimates for Baltimore City are by the City Health Department.

TABLE 2. BIRTHS BY RACE, WITH RATES. THREE MARYLAND AREAS, 1920 - 1958

NUMBER OF BIRTHS

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	36,720	29,888	6,832	18,426	15,584	2,842	18,294	14,304	3,990
1930	30,988	24,455	6,533	14,015	10,862	3,153	16,973	13,593	3,380
1940	32,368	25,438	6,932	13,712	10,105	3,607	18,656	15,333	3,323
1950	55,992	43,599	12,393	21,382	14,168	7,214	34,610	29,431	5,179
1951	61,081	47,992	13,089	22,630	14,938	7,692	38,451	33,054	5,397
1952	63,165	50,146	13,019	22,775	14,989	7,786	40,390	35,157	5,233
1953	64,523	50,918	13,605	22,748	14,628	8,120	41,775	36,290	5,485
1954	67,445	53,204	14,241	23,523	14,949	8,574	43,922	38,255	5,667
1955	69,205	54,549	14,656	23,291	14,366	8,925	45,914	40,183	5,731
1956	72,111	56,387	15,724	23,782	14,032	9,750	48,329	42,355	5,974
1957	76,127	59,122	17,005	25,067	14,305	10,762	51,060	44,817	6,243
1958	75,997	58,862	17,135	24,464	13,380	11,084	51,533	45,482	6,051

BIRTH RATES PER 1,000 POPULATION

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	25.2	24.7	27.7	25.0	24.9	25.8	25.4	24.4	29.3
1930	18.9	18.0	23.5	17.4	16.4	22.0	20.4	19.5	25.1
1940	17.6	16.6	22.7	15.9	14.6	21.5	19.2	18.3	24.3
1950	23.8	22.2	31.7	22.5	19.5	31.7	24.6	23.7	31.8
1951	25.4	23.9	33.1	23.7	20.7	33.4	26.6	25.8	32.6
1952	25.8	24.5	32.5	23.8	20.7	33.5	27.1	26.6	31.1
1953	25.8	24.5	32.5	23.6	20.4	32.8	27.2	26.6	32.1
1954	26.5	25.2	33.0	24.3	21.1	33.2	27.8	27.2	32.6
1955	25.6	24.1	33.3	24.1	20.5	33.6	26.5	25.8	32.7
1956	26.0	24.3	34.1	24.4	20.2	34.8	26.8	26.1	32.9
1957	26.3	24.3	36.4	25.6	20.8	37.0	26.7	25.8	35.4
1958	25.5	23.6	35.5	24.9	19.6	36.8	25.9	25.1	33.4

TABLE 3. DEATHS BY RACE, WITH RATES. THREE MARYLAND AREAS, 1920 - 1958

NUMBER OF DEATHS

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	21,401	16,162	5,239	11,205	8,676	2,529	10,196	7,486	2,710
1930	21,845	16,481	5,364	11,039	8,194	2,845	10,806	8.287	2,519
1940	21,883	16,943	4,940	11,096	8,243	2,853	10,787	8,700	2,087
1950	22,450	17,811	4,639	10,624	7,835	2,789	11,826	9,976	1,850
1951	22,859	18,072	4,787	10,885	7,996	2,889	11,974	10,076	1,898
1952	23,960	19,121	4,839	11,237	8,280	2,957	12,723	10,841	1,882
1953	23,628	19,088	4,540	10,762	8,044	2,718	12,866	11,044	1,822
1954	23,031	18,588	4,443	10,242	7,506	2,736	12,789	11,082	1,707
1955	24,344	19,727	4,617	10,781	7,967	2,814	13,563	11,760	1,803
1956	25,163	20,227	4,936	11,131	8,121	3,010	14,032	12,106	1,926
1957	26,497	21,309	5,188	11,464	8,259	3,205	15,033	13,050	1,983
1958	27,161	21,754	5,407	11,446	8,069	3,377	15,715	13,685	2,030

DEATH RATES PER 1,000 POPULATION

Year	Maryland State			Baltimore City			Total Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
1920	14.7	13.3	21.3	15.2	13.8	22.9	14.1	12.8	19.9
1930	13.3	12.3	19.3	13.7	12.4	19.8	13.0	11.9	18.7
1940	11.9	11.1	16.2	12.9	11.9	17.0	11.1	10.4	15.2
1950	9.5	9.1	11.9	11.1	10.8	12.3	8.4	8.0	11.4
1951	9.5	9.0	12.1	11.4	11.1	12.6	8.3	7.9	11.5
1952	9.8	9.3	12.1	11.7	11.4	12.7	8.5	8.2	11.2
1953	9.5	9.2	10.8	11.2	11.2	11.0	8.4	8.1	10.7
1954	9.1	8.8	10.3	10.6	10.6	10.6	8.1	7.9	9.8
1955	9.0	8.7	10.5	11.2	11.4	10.6	7.8	7.5	10.3
1956	9.1	8.7	10.7	11.4	11.7	10.7	7.8	7.5	10.6
1957	9.1	8.8	11.1	11.7	12.0	11.0	7.8	7.5	11.2
1958	9.1	8.7	11.2	11.7	11.8	11.2	7.9	7.5	11.2

TABLE 4. RATES FOR BIRTHS, DEATHS, INFANT DEATHS, MATERNAL DEATHS AND STILLBIRTHS, BY RACE. MARYLAND AREA, 1958

Area of Residence	BIRTH RATES[a]			DEATH RATES[a]			INFANT DEATH RATES[b]			MATERNAL DEATH RATES[b] [c]			STILLBIRTH RATES[b] [c]		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Maryland State	25.5	23.6	35.5	9.1	8.7	11.2	29.1	24.1	46.2	3.4	1.9	8.7	15.7	13.2	24.6
Baltimore City	24.9	19.6	36.8	11.7	11.8	11.2	35.2	27.3	44.7	6.1	2.2	10.8	18.1	13.4	23.9
Total Counties	25.9	25.1	33.4	7.9	7.5	11.2	26.2	23.2	48.9	2.1	1.7	4.9	14.6	13.1	25.9
Allegany	19.7	19.6	23.6	12.7	12.6	20.0	30.6	29.9	76.9						
Anne Arundel	25.3	24.3	31.2	6.5	6.0	9.4	26.2	23.1	41.1						
Baltimore	26.5	26.4	28.8	6.9	6.8	8.7	20.7	19.4	50.1						
Calvert	28.1	19.5	42.5	10.9	11.3	10.2	35.6	21.9	46.2						
Caroline	24.7	22.8	33.1	13.7	12.8	17.5	34.4	23.1	67.2						
Carroll	20.1	19.9	23.9	9.0	9.0	9.6	21.0	19.2	54.5						
Cecil	26.1	25.7	31.9	7.8	7.4	12.9	33.5	31.2	60.6						
Charles	32.9	26.8	46.6	8.2	6.6	11.7	47.6	41.2	55.9						
Dorchester	21.4	16.7	33.8	13.6	13.0	15.2	43.8	28.7	63.7						
Frederick	22.7	21.9	34.7	10.4	10.2	14.0	24.7	25.7	14.4						
Garrett	24.7	24.7	-	9.1	8.9	-	29.8	29.8	-						
Harford	30.5	29.6	39.0	8.2	7.5	15.4	30.4	27.2	54.6						
Howard	25.0	24.8	26.3	8.5	8.1	10.7	36.7	29.3	79.6						
Kent	24.1	21.5	31.5	14.5	13.8	16.3	34.9	36.4	31.7						
Montgomery	26.2	25.9	31.1	6.5	6.3	10.6	22.5	21.3	44.7						
Prince Georges	29.1	28.4	36.4	5.5	5.4	7.3	24.1	22.8	34.2						
Queen Annes	23.3	21.5	28.3	12.8	11.5	16.1	22.0	12.5	60.3						
Saint Marys	28.7	26.2	40.3	5.9	5.0	10.1	43.8	33.2	76.6						
Somerset	20.7	16.4	28.4	14.6	14.6	14.7	37.1	14.6	60.3						
Talbot	22.1	19.7	29.6	14.0	13.4	16.1	39.7	32.5	55.2						
Washington	22.4	22.4	20.0	10.2	10.1	13.3	24.0	24.6	-						
Wicomico	22.5	20.1	31.8	11.5	11.1	12.9	36.7	24.6	66.0						
Worcester	22.6	16.8	34.2	12.8	12.9	12.5	38.9	28.5	49.3						

a/ Birth and total death rates are per 1,000 population.

b/ Infant death and stillbirth rates are per 1,000 live births; maternal deaths are per 10,000 live births.

c/ See Table 5 for numbers of infant and maternal deaths and stillbirths in each county. Rates were not calculated for individual counties because of small numbers.

TABLE 5. INFANT DEATHS, MATERNAL DEATHS AND STILLBIRTHS, BY RACE. MARYLAND AREAS, 1958

Area of Residence	DEATHS UNDER AGE ONE						MATERNAL DEATHS			STILLBIRTHS*		
	Total			Under 28 days								
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Maryland State	2,212	1,421	791	1,603	1,043	560	26	11	15	1,197	775	422
Baltimore City	861	366	495	656	275	381	15	3	12	444	179	265
Total Counties	1,351	1,055	296	947	768	179	11	8	3	753	596	157
Allegany	50	48	2	31	30	1	-	-	-	34	34	-
Anne Arundel	125	91	34	90	67	23	3	2	1	71	56	15
Baltimore	243	218	25	192	172	20	1	1	-	164	148	16
Calvert	15	4	11	6	3	3	-	-	-	11	2	9
Caroline	16	8	8	10	4	6	-	-	-	12	6	6
Carroll	23	20	3	15	15	-	1	1	-	12	11	1
Cecil	42	36	6	26	23	3	-	-	-	20	20	-
Charles	47	23	24	33	18	15	-	-	-	19	4	15
Dorchester	27	10	17	15	7	8	-	-	-	17	5	12
Frederick	39	37	2	29	28	1	1	-	1	20	19	1
Garrett	14	14	-	10	10	-	-	-	-	12	12	-
Harford	62	49	13	49	38	11	-	-	-	27	24	3
Howard	28	19	9	20	13	7	-	-	-	9	5	4
Kent	13	9	4	6	6	-	-	-	-	4	3	1
Montgomery	171	154	17	128	115	13	2	2	-	80	72	8
Prince Georges	235	197	38	159	140	19	1	1	-	132	107	25
Queen Annes	10	3	7	6	1	5	-	-	-	7	4	3
Saint Marys	49	28	21	29	16	13	-	-	-	27	18	9
Somerset	15	3	12	10	3	7	1	1	-	8	5	3
Talbot	18	10	8	11	7	4	-	-	-	12	3	9
Washington	47	47	-	33	33	-	-	-	-	33	32	1
Wicomico	40	19	21	27	14	13	1	-	1	13	4	9
Worcester	22	8	14	12	5	7	-	-	-	9	2	7

*Stillbirths are reported when periods of gestation are 20 weeks or over.

TABLE 6-A. RESIDENT BIRTHS BY RACE AND AGE OF MOTHER. THREE MARYLAND AREAS, 1958

Area of Residence	Race	All ages	AGE OF MOTHER								
			Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 & over	Not stated
Maryland State	All births	75,997	183	10,662	23,147	19,964	13,645	6,708	1,555	71	62
	White	58,862	44	6,851	17,814	16,019	11,217	5,540	1,274	52	51
	Non-White	17,135	139	3,811	5,333	3,945	2,428	1,168	281	19	11
Baltimore City	All births	24,464	125	4,310	7,900	5,944	3,825	1,902	427	18	13
	White	13,380	24	1,884	4,379	3,383	2,250	1,173	270	10	7
	Non-White	11,084	101	2,426	3,521	2,561	1,575	729	157	8	6
Total Counties	All births	51,533	58	6,352	15,247	14,020	9,820	4,806	1,128	53	49
	White	45,482	20	4,967	13,435	12,636	8,967	4,367	1,004	42	44
	Non-White	6,051	38	1,385	1,812	1,384	853	439	124	11	5

TABLE 6-B. RESIDENT BIRTHS BY RACE AND MONTH OF BIRTH. THREE MARYLAND AREAS, 1958

Area of Residence	Race	All months	MONTH OF BIRTH											
			Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
Maryland State	All births	75,997	6345	5670	6043	5687	6373	5967	6567	6527	6908	6816	6254	6840
	White	58,862	4911	4423	4701	4485	4961	4628	5115	4963	5342	5259	4773	5301
	Non-White	17,135	1434	1247	1342	1202	1412	1339	1452	1564	1566	1557	1481	1539
Baltimore City	All births	24,464	2136	1808	1984	1803	2066	1931	2168	2104	2188	2214	2042	2020
	White	13,380	1171	998	1092	1037	1138	1059	1220	1129	1181	1170	1074	1111
	Non-White	11,084	965	810	892	766	928	872	948	975	1007	1044	968	909
Total Counties	All births	51,533	4209	3862	4059	3884	4307	4036	4399	4423	4720	4602	4212	4820
	White	45,482	3740	3425	3609	3448	3823	3569	3895	3834	4161	4089	3699	4190
	Non-White	6,051	469	437	450	436	484	467	504	589	559	513	513	630

TABLE 7. BIRTHS BY ATTENDANT AND RACE, WITH PER CENT PHYSICIAN ATTENDED. MARYLAND AREAS, 1958

Area of Residence	DELIVERIES BY: ALL ATTENDANTS			PHYSICIAN			MIDWIFE			OTHER ATTENDANT			PER CENT PHYSICIAN ATTENDED		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Maryland State	75,997	58,862	17,135	74,970	58,692	16,278	884	99	785	143	71	72	98.6	99.7	95.0
Baltimore City	24,464	13,380	11,084	24,291	13,337	10,954	99	21	78	74	22	52	99.3	99.7	98.8
Total Counties	51,533	45,482	6,051	50,679	45,355	5,324	785	78	707	69	49	20	98.3	99.7	88.0
Allegany	1,634	1,608	26	1,630	1,604	26	2	2	-	2	2	-	99.7	99.7	100.0
Anne Arundel	4,762	3,934	828	4,708	3,917	791	39	9	30	15	8	7	98.9	99.6	95.5
Baltimore	11,759	11,260	499	11,731	11,237	494	5	3	2	23	20	3	99.8	99.8	99.0
Calvert	421	183	238	406	182	224	13	-	13	2	1	1	96.4	99.5	94.1
Caroline	465	346	119	443	344	99	21	1	20	1	1	-	95.3	99.4	83.2
Carroll	1,095	1,040	55	1,092	1,037	55	2	2	-	1	1	-	99.7	99.7	100.0
Cecil	1,252	1,153	99	1,251	1,153	98	1	-	1	-	-	-	99.9	100.0	99.0
Charles	987	558	429	755	545	210	228	11	217	4	2	2	76.5	97.7	48.9
Dorchester	616	349	267	516	346	170	99	3	96	1	-	1	83.8	99.1	63.7
Frederick	1,577	1,438	139	1,574	1,435	139	2	2	-	1	1	-	99.8	99.8	100.0
Garrett	470	470	-	448	448	-	20	20	-	2	2	-	95.3	95.3	-
Harford	2,042	1,804	238	2,041	1,804	237	1	-	1	-	-	-	99.9	100.0	99.6
Howard	762	649	113	761	648	113	1	1	-	-	-	-	99.9	99.8	100.0
Kent	373	247	126	369	247	122	3	-	3	1	-	1	98.9	100.0	96.8
Montgomery	7,614	7,234	380	7,608	7,230	378	-	-	-	6	4	2	99.9	99.9	99.5
Prince Georges	9,761	8,650	1,111	9,749	8,645	1,104	6	-	6	6	5	1	99.9	99.9	99.4
Queen Annes	355	239	116	354	239	115	1	-	1	-	-	-	99.7	100.0	99.1
Saint Marys	1,118	844	274	1,016	824	192	102	20	82	-	-	-	90.9	97.6	70.1
Somerset	404	205	199	314	204	110	90	1	89	-	-	-	77.7	99.5	55.3
Talbot	453	308	145	444	308	136	9	-	9	-	-	-	98.0	100.0	93.8
Washington	1,957	1,909	48	1,955	1,907	48	-	-	-	2	2	-	99.9	99.9	100.0
Wicomico	1,091	773	318	1,086	772	314	5	1	4	-	-	-	99.5	99.9	98.7
Worcester	565	281	284	428	279	149	135	2	133	2	-	2	75.7	99.3	52.5

TABLE 8. BIRTHS BY HOSPITALIZATION AND RACE. MARYLAND AREAS, 1958

Area of Residence	ALL BIRTHS			HOSPITAL BIRTHS			PER CENT HOSPITAL			LOCATION OF HOSPITAL			
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Same County	Other County	Other State	Balto. City
Maryland State	75,997	58,862	17,135	74,061	58,252	15,809	97.5	99.0	92.3	43,312	3,865	11,831	15,053
Baltimore City	24,464	13,380	11,084	23,904	13,223	10,681	97.7	98.8	96.4	23,623	158	123	-
Total Counties	51,533	45,482	6,051	50,157	45,029	5,128	97.3	99.0	84.7	19,689	3,707	11,708	15,053
Allegany	1,634	1,608	26	1,623	1,597	26	99.3	99.3	100.0	1,515	4	102	2
Anne Arundel	4,762	3,934	828	4,656	3,889	767	97.8	98.9	92.6	1,998	120	142	2,396
Baltimore	11,759	11,260	499	11,652	11,171	481	99.1	99.2	96.4	2	141	200	11,309
Calvert	421	183	238	401	181	220	95.2	98.9	92.4	330	36	20	15
Caroline	465	346	119	436	340	96	93.8	98.3	80.7	-	305	130	1
Carroll	1,095	1,040	55	1,042	997	45	95.1	95.9	81.8	-	214	417	411
Cecil	1,252	1,153	99	1,236	1,140	96	98.7	98.9	97.0	819	279	109	29
Charles	987	558	429	750	544	206	76.0	97.5	48.0	352	95	288	15
Dorchester	616	349	267	512	344	168	83.1	98.6	62.9	440	43	25	4
Frederick	1,577	1,438	139	1,556	1,420	136	98.7	98.7	97.8	1,200	69	273	14
Garrett	470	470	-	441	441	-	93.8	93.8	-	289	42	110	-
Harford	2,042	1,804	238	2,008	1,783	225	98.3	98.8	94.5	1,619	31	33	325
Howard	762	649	113	744	641	103	97.6	98.8	91.1	-	314	24	406
Kent	373	247	126	365	245	120	97.9	99.2	95.2	302	28	23	12
Montgomery	7,614	7,234	380	7,578	7,207	371	99.5	99.6	97.6	3,466	135	3,966	11
Prince Georges	9,761	8,650	1,111	9,686	8,610	1,076	99.2	99.5	96.8	3,119	956	5,547	64
Queen Annes	355	239	116	342	236	106	96.3	98.7	91.4	-	318	15	9
Saint Marys	1,118	844	274	1,012	823	189	90.5	97.5	69.0	946	21	25	20
Somerset	404	205	199	302	204	98	74.7	99.5	49.2	152	143	5	2
Talbot	453	308	145	436	308	128	96.2	100.0	88.3	411	14	7	4
Washington	1,957	1,909	48	1,919	1,871	48	98.1	98.0	100.0	1,688	20	209	2
Wicomico	1,091	773	318	1,074	765	309	98.4	99.0	97.2	1,041	8	23	2
Worcester	565	281	284	386	272	114	68.3	96.8	40.1	-	371	15	-

TABLE 9. BIRTHS, SINGLE AND PLURAL BY BIRTHWEIGHT AND RACE. THREE MARYLAND AREAS, 1958

Area of Residence	TOTAL (Single and plural births)	SINGLE BIRTHS			PLURAL BIRTHS			Weight not stated	
		BIRTHWEIGHT		PER CENT 2500 gms and less	BIRTHWEIGHT		PER CENT 2500 gms and less	Single	Plural
		2500 gms and less	2501 gms and over		2500 gms and less	2501 gms and over			
MARYLAND STATE									
Total	75,997	5,888	68,397	7.9	866	642	57.2	197	7
White	58,862	3,750	53,925	6.5	571	460	55.2	152	4
Non-White	17,135	2,138	14,472	12.8	295	182	61.5	45	3
BALTIMORE CITY									
Total	24,464	2,460	21,386	10.3	334	246	57.3	35	3
White	13,380	1,003	12,095	7.6	141	121	53.4	18	2
Non-White	11,084	1,457	9,291	13.5	193	125	60.5	17	1
TOTAL COUNTIES									
Total	51,533	3,428	47,011	6.8	532	396	57.1	162	4
White	45,482	2,747	41,830	6.1	430	339	55.8	134	2
Non-White	6,051	681	5,181	11.6	102	57	63.3	28	2

TABLE 10. BIRTHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE. MARYLAND AREAS, 1958

Area	Births by area of mother's residence			Births in Maryland by area of birth			Out-transfer certificates; i.e., Births in area in col. 4 to residents of:				In-transfer certificates; i.e., Births to residents of col. 1 areas which occurred in:			
	Total	White	Non-White	Total	White	Non-White	Another State	Another County	Balto. City	Sub-Total	Another State	Another County	Balto. City	Sub-Total
Maryland State	75,997	58,862	17,135	67,405	50,508	16,897	3,274	18,815	161	22,250	11,866	3,897	15,079	30,842
Baltimore City	24,464	13,380	11,084	39,344	27,332	12,012	90	15,079	-	15,169	128	161	---	289
Total Counties	51,533	45,482	6,051	28,061	23,176	4,885	3,184	3,736	161	7,081	11,738	3,736	15,079	30,553
Allegany	1,634	1,608	26	1,975	1,945	30	395	53	3	451	104	4	2	110
Anne Arundel	4,762	3,934	828	2,723	2,216	507	306	199	126	631	144	122	2,404	2,670
Baltimore	11,759	11,260	499	86	71	15	-	1	-	1	203	144	11,327	11,674
Calvert	421	183	238	389	149	240	5	32	2	39	20	36	15	71
Caroline	465	346	119	31	5	26	-	4	-	4	131	306	1	438
Carroll	1,095	1,040	55	53	42	11	-	3	-	3	419	215	411	1,045
Cecil	1,252	1,153	99	948	872	76	61	51	1	113	109	279	29	417
Charles	987	558	429	613	325	288	-	29	-	29	288	100	15	403
Dorchester	616	349	267	564	315	249	1	22	-	23	25	46	4	75
Frederick	1,577	1,438	139	1,470	1,312	158	8	239	2	249	273	69	14	356
Garrett	470	470	-	405	404	1	86	4	2	92	115	42	-	157
Harford	2,042	1,804	238	2,203	1,945	258	200	347	6	553	35	32	325	392
Howard	762	649	113	17	7	10	-	-	-	-	24	315	406	745
Kent	373	247	126	455	309	146	5	141	-	146	23	29	12	64
Montgomery	7,614	7,234	380	5,768	5,252	516	1,105	1,160	4	2,269	3,968	136	11	4,115
Prince Georges	9,761	8,650	1,111	3,887	3,017	870	402	295	5	702	5,552	960	64	6,576
Queen Annes	355	239	116	13	3	10	-	-	-	-	15	318	9	342
Saint Marys	1,118	844	274	1,301	1,046	255	207	41	3	251	26	22	20	68
Somerset	404	205	199	267	129	138	7	7	-	14	5	144	2	151
Talbot	453	308	145	957	652	305	10	518	1	529	7	14	4	25
Washington	1,957	1,909	48	1,915	1,866	49	124	66	1	191	211	20	2	233
Wicomico	1,091	773	318	1,825	1,286	539	244	521	4	769	24	9	2	35
Worcester	565	281	284	196	9	187	18	3	1	22	17	374	-	391

TABLE 11. DEATH RATES[a] FOR TWENTY LEADING CAUSES BY SEX AND RACE. MARYLAND, 1958

Rank	Causes of death with 7th Revision International List Number	Total	All races		White		Non-White	
			Male	Female	Male	Female	Male	Female
	All causes[a]	9.1	10.3	8.0	9.8	7.6	12.6	9.8
1.	Diseases of the heart (410-443)	381.5	430.7	332.7	437.7	328.3	394.8	355.6
2.	Malignant neoplasms (140-205)	141.7	154.0	129.4	153.2	130.9	158.1	121.4
3.	Cerebral hemorrhage and other vascular lesions (330-334)	77.2	73.5	80.9	67.7	77.9	102.9	97.0
4.	Diseases of early infancy (760-776)	47.1	60.3	25.8	55.2	24.0	86.7	35.2
5.	All accidents (800-962)	43.0	52.3	42.0	38.9	30.8	121.2	99.9
6.	Influenza and pneumonia (480-493)	30.3	37.8	23.0	30.8	20.7	73.9	34.8
7.	Diabetes mellitus (260)	17.0	11.9	22.0	11.4	21.4	14.5	25.3
8.	Arteriosclerosis (450)	14.9	13.7	16.2	13.6	17.7	14.1	8.3
9.	Congenital malformations (750-759)	12.5	12.5	12.4	12.5	12.1	12.9	14.1
10.	Cirrhosis of the liver (581)	12.0	17.3	6.7	18.1	6.7	12.9	6.6
11.	Other diseases of circulatory system (451-468)	11.0	12.8	9.2	13.1	8.5	11.2	13.3
12.	Tuberculosis, all forms (001-019)	10.7	15.7	5.8	11.4	3.9	37.3	15.7
13.	Nephritis, all forms (590-594)	9.6	9.5	9.8	8.2	8.1	16.2	18.6
14.	Suicide (970-979)	9.4	14.1	4.7	15.7	5.0	5.8	3.3
15.	Hypertension without mention of heart (444-447)	6.0	6.7	5.3	5.4	4.4	13.3	9.9
16.	Hernia and intestinal obstruction (560-561,570)	5.9	6.6	5.2	5.9	4.8	10.4	7.5
17.	Homicide (980-985)	5.8	8.0	3.7	2.8	1.9	34.5	12.8
18.	Symptoms and senility (780-795)	4.3	4.8	3.9	4.2	3.3	7.9	7.0
19.	Ulcer of stomach and duodenum (540-542)	4.2	6.7	1.7	6.9	1.7	5.8	1.7
20.	Gastritis and duodenitis, enteritis and colitis (543,571-572)	3.3	3.1	3.5	2.5	3.3	6.2	5.0

a/ Rates for specific causes are per 100,000 population; for all causes, per 1,000 population.

TABLE 12. DEATHS FOR TWENTY LEADING CAUSES BY SEX AND RACE. MARYLAND, 1958

Rank	Causes of death with 7th Revision International List Number	All races			White		Non-White	
		Total	Male	Female	Male	Female	Male	Female
	All causes	27,161	15,238	11,923	12,197	9,557	3,041	2,366
1.	Diseases of the heart (410-443)	11,350	6,380	4,970	5,429	4,112	951	858
2.	Malignant neoplasms (140-205)	4,214	2,281	1,933	1,900	1,640	381	293
3.	Cerebral hemorrhage and other vascular lesions (330-334)	2,297	1,088	1,209	840	975	248	234
4.	Diseases of early infancy (760-776)	1,401	774	627	482	386	292	241
5.	All accidents (800-962)	1,280	894	386	685	301	209	85
6.	Influenza and pneumonia (480-493)	903	560	343	382	259	178	84
7.	Diabetes mellitus (260)	505	176	329	141	268	35	61
8.	Arteriosclerosis (450)	445	203	242	169	222	34	20
9.	Congenital malformations (750-759)	371	186	185	155	151	31	34
10.	Cirrhosis of the liver (581)	356	256	100	225	84	31	16
11.	Other diseases of circulatory system (451-468)	328	190	138	163	106	27	32
12.	Tuberculosis, all forms (001-019)	319	232	87	142	49	90	38
13.	Nephritis, all forms (590-594)	287	141	146	102	101	39	45
14.	Suicide (970-979)	280	209	71	195	63	14	8
15.	Hypertension without mention of heart (444-447)	178	99	79	67	55	32	24
16.	Hernia and intestinal obstruction (560-561,570)	176	98	78	73	60	25	18
17.	Homicide (980-985)	173	118	55	35	24	83	31
18.	Symptoms and senility (780-795)	129	71	58	52	41	19	17
19.	Ulcer of stomach and duodenum (540-542)	126	100	26	86	22	14	4
20.	Gastritis and duodenitis, enteritis and colitis (543,571-572)	99	46	53	31	41	15	12

TABLE 13A. THE EIGHT LEADING CAUSES OF MALE DEATHS IN SPECIFIED AGE GROUPS. MARYLAND, 1958

UNDER ONE YEAR

Rank		Number	Percent
	All causes	1,204	100.0
1.	Prematurity	563	46.8
2.	Congenital malformations	138	11.5
3.	Influenza and pneumonia	138	11.5
4.	Birth injuries	70	5.8
5.	Asphyxia	40	3.3
6.	All accidents	20	1.7
7.	Hemolytic disease of newborn	16	1.3
8.	Diarrhea and enteritis	15	1.2

AGES 1 - 4

Rank		Number	Percent
	All causes	161	100.0
1.	All accidents	43	26.7
2.	Influenza and pneumonia	22	13.7
3.	Congenital malformations	18	11.2
4.	Malignant neoplasms	18	11.2
5.	Meningitis, exc. meningococcal	8	5.0
6.	Measles	7	4.3
7.	Upper respiratory infections	4	2.5
8.	Nephritis and nephrosis	3	1.9

AGES 5 - 14

		Number	Percent
	All causes	161	100.0
1.	All accidents	75	46.6
2.	Malignant neoplasms	27	16.8
3.	Congenital malformations	9	5.6
4.	Influenza and pneumonia	5	3.1
5.	Nephritis and nephrosis	5	3.1
6.	Diseases of the heart	3	1.9
7.	Rheumatic fever	2	1.2
8.	Homicide	2	1.2

AGES 15 - 44

		Number	Percent
	All causes	1,496	100.0
1.	All accidents	383	25.6
2.	Diseases of the heart	346	23.1
3.	Malignant neoplasms	185	12.4
4.	Homicide	77	5.1
5.	Suicide	74	4.9
6.	Cerebral hemorrhage, etc.	57	3.8
7.	Cirrhosis of the liver	55	3.7
8.	Influenza and pneumonia	46	3.1

AGES 45 - 64

		Number	Percent
	All causes	4,957	100.0
1.	Diseases of the heart	2,285	46.1
2.	Malignant neoplasms	906	18.3
3.	Cerebral hemorrhage, etc.	303	6.1
4.	Accidents	229	4.6
5.	Influenza and pneumonia	148	3.0
6.	Cirrhosis of the liver	141	2.8
7.	Tuberculosis, all forms	105	2.1
8.	Suicide	97	1.9

AGES 65 & OVER

		Number	Percent
	All causes	7,256	100.0
1.	Diseases of the heart	3,743	51.6
2.	Malignant neoplasms	1,143	15.7
3.	Cerebral hemorrhage, etc.	719	9.9
4.	Influenza and pneumonia	235	3.2
5.	Arteriosclerosis	179	2.5
6.	Accidents	143	2.0
7.	Diabetes mellitus	100	1.4
8.	Tuberculosis, all forms	91	1.3

TABLE 13B. THE EIGHT LEADING CAUSES OF FEMALE DEATHS IN SPECIFIED AGE GROUPS. MARYLAND, 1958

UNDER ONE YEAR			
Rank		Number	Percent
	All causes	1,008	100.0
1.	Prematurity	474	47.0
2.	Congenital malformations	128	12.7
3.	Influenza and pneumonia	106	10.5
4.	Birth injuries	43	4.3
5.	Asphyxia	32	3.2
6.	Diarrhea and enteritis	24	2.4
7.	Otitis media	20	2.0
8.	Hemolytic diseases of newborn	19	1.9

AGES 1 - 4			
Rank		Number	Percent
	All causes	139	100.0
1.	All accidents	29	20.9
2.	Congenital malformations	25	18.0
3.	Influenza and pneumonia	16	11.5
4.	Malignant neoplasms	16	11.5
5.	Measles	6	4.3
6.	Diarrhea and enteritis	6	4.3
7.	Meningococcal infections	4	2.9
8.	Meningitis, exc. meningococcal	3	2.1

AGES 5 - 14			
		Number	Percent
	All causes	97	100.0
1.	All accidents	25	25.8
2.	Malignant neoplasms	13	13.4
3.	Congenital malformations	12	12.4
4.	Influenza and pneumonia	5	5.1
5.	Nephritis and nephrosis	4	4.1
6.	Bronchitis	4	4.1
7.	Diseases of the pancreas	3	3.1
8.	*	2	2.1

AGES 15 - 44			
		Number	Percent
	All causes	906	100.0
1.	Malignant neoplasms	227	25.1
2.	Disease of the heart	146	16.1
3.	All accidents	84	9.3
4.	Cerebral hemorrhage, etc.	51	5.6
5.	Homicide	38	4.2
6.	Tuberculosis, all forms	36	4.0
7.	Influenza and pneumonia	29	3.2
8.	Suicide	27	3.0

AGES 45 - 64			
		Number	Percent
	All causes	2,775	100.0
1.	Diseases of the heart	1,058	38.1
2.	Malignant neoplasms	765	27.6
3.	Cerebral hemorrhage, etc.	250	9.0
4.	Diabetes mellitus	112	4.0
5.	Accidents	69	2.5
6.	Cirrhosis of the liver	51	1.8
7.	Nephritis and nephrosis	49	1.8
8.	Influenza and pneumonia	43	1.5

AGES 65 & OVER			
		Number	Percent
	All causes	6,995	100.0
1.	Diseases of the heart	3,757	53.7
2.	Malignant neoplasms	911	13.0
3.	Cerebral hemorrhage, etc.	904	12.9
4.	Arteriosclerosis	238	3.4
5.	Diabetes mellitus	206	2.9
6.	Influenza and pneumonia	173	2.5
7.	Accidents	163	2.3
8.	Nephritis and nephrosis	68	1.0

*Rheumatic fever, diseases of the heart and appendicitis each had 2 deaths or 2.1% of the total female deaths in this age group.

TABLE 14. HEART DISEASE DEATHS BY TYPE AND CANCER DEATHS BY SITE, BY SEX AND RACE. MARYLAND, 1958

Cause of death with 7th Revision International List Number		All races		White		Non-White	
	Total	Male	Female	Male	Female	Male	Female
All heart disease (410-443)	11,350	6,380	4,970	5,429	4,112	951	858
Arteriosclerotic heart, inc. coronary (420)	6,304	3,906	2,398	3,548	2.121	358	277
Chronic endocarditis and myocardial degeneration (421,422)	2,294	1,166	1,128	950	942	216	186
Hypertension with heart disease (440-443)	2,162	999	1,163	693	818	306	345
Chronic rheumatic heart disease (410-416)	271	121	150	99	131	22	19
All other diseases of the heart (430-434)	319	188	131	139	100	49	31
All malignant neoplasms (140-205)	4,214	2,281	1,933	1,900	1,640	381	293
Large intestine, except rectum (153)	405	189	216	164	195	25	21
Lung unspecified as to whether primary or secondary (163)	387	333	54	284	44	49	10
Breast (170)	380	2	378	2	336	-	42
Stomach (151)	297	185	112	145	91	40	21
Bronchus and trachea and of lung specified as primary (162)	266	239	27	205	24	34	3
Prostate (177)	211	211	-	166	-	45	-
Pancreas (157)	179	108	71	89	58	19	13
Leukemia and aleukemia (204)	177	107	70	98	66	9	4
Cervix uteri (171)	155	-	155	-	108	-	47
Rectum (154)	148	90	58	80	51	10	7
Bladder and other urinary organs (181)	135	92	43	76	35	16	8
All other sites	1,474	725	749	591	632	134	117

TABLE 15-A. DEATHS BY SEX, RACE AND AGE GROUPS. THREE MARYLAND AREAS, 1958

Area of Residence	Sex-Race	All ages	DEATHS BY AGE*									
			Under one	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75 +
	All deaths	27,161	2212	300	258	361	623	1418	2932	4800	6435	7816
	Male White	12,197	785	100	119	185	254	614	1424	2486	3100	3128
aryland State	Female White	9,557	636	95	74	71	150	351	712	1274	2250	3942
	Male Non-White	3,041	419	61	42	66	126	251	463	584	628	400
	Female Non-White	2,366	372	44	23	39	93	202	333	456	457	346
	All deaths	11,446	861	116	90	119	268	621	1319	2265	2830	2956
	Male White	4,427	202	22	31	42	75	198	515	1037	1263	1042
altimore City	Female White	3,642	164	23	18	21	48	107	275	520	907	1558
	Male Non-White	1,851	267	41	25	29	81	167	290	392	371	188
	Female Non-White	1,526	228	30	16	27	64	149	239	316	289	168
	All deaths	15,715	1351	184	168	242	355	797	1613	2535	3605	4860
	Male White	7,770	583	78	88	143	179	416	909	1449	1837	2086
otal Counties	Female White	5,915	472	72	56	50	102	244	437	754	1343	2384
	Male Non-White	1,190	152	20	17	37	45	84	173	192	257	212
	Female Non-White	840	144	14	7	12	29	53	94	140	168	178

Unknown age - one in Baltimore City and five in the Total Counties.

TABLE 15-B. DEATHS BY RACE AND MONTH OF DEATH. MARYLAND, 1958

Area of Residence	Race	All months	MONTH OF DEATH											
			Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
	All deaths	27,161	2652	2446	2616	2179	2130	2115	2132	2016	2064	2190	2191	2430
ryland State	White	21,754	2111	1954	2069	1765	1719	1706	1731	1618	1674	1746	1750	1911
	Non-White	5,407	541	492	547	414	411	409	401	398	390	444	441	519

TABLE 16. DEATHS TO MARYLAND RESIDENTS, BY TYPE OF HOSPITAL IN WHICH DEATH OCCURRED, AND RACE. THREE MARYLAND AREAS, 1958

Type of Hospital	Maryland Residents			Baltimore City Residents			Residents of the Counties		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
All deaths	27,161	21,754	5,407	11,446	8,069	3,377	15,715	13,685	2,030
All deaths in Hospitals	17,381	13,614	3,767	8,149	5,455	2,694	9,232	8,159	1,073
Maryland Hospitals:	15,767	12,139	3,628	8,029	5,355	2,674	7,738	6,784	954
General:	12,546	9,365	3,181	6,618	4,203	2,415	5,928	5,162	766
County	3,534	2,986	548	26	21	5	3,508	2,965	543
Baltimore City	8,310	5,817	2,493	6,293	3,976	2,317	2,017	1,841	176
Federal	702	562	140	299	206	93	403	356	47
Tuberculosis and Mental:	1,160	952	208	510	402	108	650	550	100
Tuberculosis	146	104	42	46	31	15	100	73	27
Mental	1,014	848	166	464	371	93	550	477	73
Chronic Disease and Other Special Hospitals	459	378	81	170	140	30	289	238	51
Convalescent and Nursing Homes	1,602	1,444	158	731	610	121	871	834	37
Hospitals outside of Maryland:	1,614	1,475	139	120	100	20	1,494	1,375	119
General	1,435	1,302	133	100	82	18	1,335	1,220	115
Mental	9	9	-	-	-	-	9	9	-
Chronic Disease and Other Special Hospitals	79	73	6	3	1	2	76	72	4
Convalescent and Nursing Homes	91	91	-	17	17	-	74	74	-
nroute to Hospital or D.O.A.	526	428	98	92	56	36	434	372	62
ot in Hospital or Institution	9,254	7,712	1,542	3,205	2,558	647	6,049	5,154	895

TABLE 17. DEATHS FOR SELECTED CAUSES. MARYLAND AREAS, 1958

Area of Residence	All causes of death	Diseases of the heart (410-443)	Malignant Neoplasms (140-205)	Cerebral hemorrhage and other vascular lesions (330-334)	Diseases of early infancy (760-776)	Accidents			Influenza and pneumonia (480-493)	Diabetes mellitus (260)	Arterio-sclerosis (450)	Congenital malformations (750-759)	Cirrhosis of the liver (581)	Tuberculosis, all forms (001-019)	Syphilis, all forms (020-029)	Alcoholism (322)	Nephritis, all forms (590-594)	Suicide (970-979)	Homicide (980-985)	Rheumatic fever (400-402)	Chronic rheumatic heart (410-416)
						All accidents (800-962)	Motor vehicle (810-835)	All other accidents													
Maryland State	27,161	11,350	4214	2297	1401	1280	486	794	903	505	445	371	356	319	71	69	287	280	173	20	271
Baltimore City	11,446	4,822	1806	877	596	451	143	308	426	220	161	116	184	186	46	35	109	95	106	8	109
Total Counties	15,715	6,528	2408	1420	805	829	343	486	477	285	284	255	172	133	25	34	178	185	67	12	162
Allegany	1,055	524	139	84	20	40	17	23	20	22	21	17	16	5	-	-	36	10	2	1	8
Anne Arundel	1,226	453	194	93	77	85	37	48	43	22	15	21	19	17	3	4	18	8	7	1	8
Baltimore	3,070	1,380	536	223	157	122	44	78	67	48	53	61	28	21	3	2	27	36	6	7	38
Calvert	163	66	26	8	6	13	6	7	7	8	6	3	4	1	2	1	-	-	-	-	1
Caroline	257	104	36	32	8	9	4	5	10	5	6	4	1	3	2	-	3	4	4	-	4
Carroll	490	211	77	55	12	20	13	7	23	11	6	3	3	3	-	-	9	8	-	-	3
Cecil	373	149	53	35	21	27	12	15	8	5	11	8	3	1	-	2	5	4	7	1	1
Charles	246	88	20	22	31	25	10	15	9	2	2	2	4	2	-	1	-	2	4	-	1
Dorchester	391	154	63	51	13	26	8	18	8	7	12	5	3	4	1	1	4	2	2	-	3
Frederick	726	328	88	70	22	33	12	21	26	22	19	11	4	7	-	4	5	14	5	-	10
Garrett	172	85	23	20	9	7	3	4	6	3	5	2	-	1	-	-	-	3	-	-	2
Harford	549	223	76	44	43	30	18	12	17	10	11	8	2	5	-	3	9	7	1	-	4
Howard	259	115	31	20	19	13	6	7	6	5	3	3	-	2	-	1	-	4	1	-	3
Kent	224	90	28	30	5	17	3	14	6	5	4	2	2	3	2	-	-	-	1	-	3
Montgomery	1,890	696	367	188	111	87	35	52	42	30	33	28	29	9	1	2	13	31	4	-	20
Prince Georges	1,859	689	305	153	132	119	39	80	77	27	24	48	29	18	6	-	10	29	10	-	27
Queen Annes	194	90	24	19	5	13	6	7	9	3	5	2	2	-	-	1	-	-	-	-	2
Saint Marys	231	68	21	23	29	30	13	17	18	4	3	2	3	2	-	-	2	2	2	-	1
Somerset	285	117	33	41	9	13	6	7	12	6	4	2	3	2	-	1	6	-	2	-	6
Talbot	288	120	41	22	11	18	7	11	13	4	5	3	-	5	-	1	7	3	1	-	1
Washington	891	409	123	89	29	37	19	18	17	20	20	10	14	6	2	4	5	8	3	1	11
Wicomico	556	222	67	61	24	31	18	13	25	9	13	8	1	12	1	3	7	7	3	1	3
Worcester	320	147	37	37	12	14	7	7	8	7	3	2	2	4	2	3	12	3	2	-	2

TABLE 18. DEATHS BY PLACE OF RESIDENCE AND OCCURRENCE, BY RACE. MARYLAND AREAS, 1958

Area	Deaths by area of residence			Deaths in Maryland by area of death			Out-transfer certificates; i.e., Deaths in area in col. 4 to residents of:				In-transfer certificates; i.e., Deaths to residents of col. 1 areas which occurred in:			
	Total	White	Non-White	Total	White	Non-White	Another State	Another County	Balto. City	Sub-Total	Another State	Another County	Balto. City	Sub-Total
Maryland State	27,161	21,754	5,407	27,071	21,640	5,431	1,769	3,760	1,098	6,627	1,859	2,647	2,211	6,717
Baltimore City	11,446	8,069	3,377	12,637	9,311	3,326	278	2,211	---	2,489	200	1,098	---	1,298
Total Counties	15,715	13,685	2,030	14,434	12,329	2,105	1,491	1,549	1,098	4,138	1,659	1,549	2,211	5,419
Allegany	1,055	1,033	22	1,017	997	20	92	10	2	104	82	55	5	142
Anne Arundel	1,226	977	249	1,033	655	378	60	96	153	309	27	128	347	502
Baltimore	3,070	2,919	151	2,359	2,185	174	50	243	583	876	69	98	1,420	1,587
Calvert	163	106	57	174	121	53	10	29	2	41	7	16	7	30
Caroline	257	194	63	143	105	38	2	4	-	6	26	89	5	120
Carroll	490	468	22	740	685	55	9	198	245	452	59	58	85	202
Cecil	373	333	40	439	373	66	90	38	27	155	31	44	14	89
Charles	246	138	108	168	94	74	9	7	-	16	49	36	9	94
Dorchester	391	271	120	428	326	102	2	95	3	100	5	45	13	63
Frederick	726	670	56	679	627	52	28	63	6	97	49	62	33	144
Garrett	172	170	2	190	189	1	44	20	1	65	26	20	1	47
Harford	549	455	94	466	389	77	18	37	4	59	14	53	75	142
Howard	259	213	46	160	136	24	5	18	15	38	4	61	72	137
Kent	224	159	65	196	143	53	9	16	1	26	14	31	9	54
Montgomery	1,890	1,761	129	2,168	2,007	161	670	195	13	878	491	98	11	600
Prince Georges	1,859	1,635	224	1,282	1,079	203	191	41	7	239	571	205	40	816
Queen Annes	194	128	66	114	73	41	3	7	2	12	9	78	5	92
Saint Marys	231	162	69	189	141	48	19	6	-	25	19	36	12	67
Somerset	285	182	103	198	123	75	6	4	-	10	9	72	16	97
Talbot	288	209	79	363	264	99	8	126	4	138	6	48	9	63
Washington	891	859	32	928	894	34	83	46	13	142	60	37	8	105
Wicomico	556	427	129	815	601	214	70	246	14	330	18	44	9	71
Worcester	320	216	104	185	122	63	13	4	3	20	14	135	6	155

TABLE 19. MARRIAGE AND DIVORCE DATA BY AREA OF OCCURRENCE. MARYLAND AREAS, 1958

Area of Occurrence	Number of marriages 1/							Number of Divorces Granted
	By residence in Maryland				By race			
	Total	Residents of Maryland	Non-residents of Maryland 2/		White	Non-White		
			Number	Percent		Number	Percent	
Maryland State	39,926	22,522	17,404	43.6	32,455	7,471	18.7	5,040
Baltimore City	9,333	8,557	776	8.3	6,047	3,286	35.2	2,369
Total Counties	30,593	13,965	16,628	54.3	26,408	4,185	13.7	2,671
Allegany	2,611	714	1,897	72.7	2,508	103	3.9	146
Anne Arundel	1,336	1,119	217	16.2	1,118	218	16.3	217
Baltimore	3,110	2,535	575	18.5	2,974	136	4.4	472
Calvert	110	100	10	9.1	61	49	44.5	9
Caroline	349	162	187	53.6	284	65	18.6	33
Carroll	705	410	295	41.8	687	18	2.5	39
Cecil	8,134	832	7,302	89.8	6,409	1,725	21.2	73
Charles	447	264	183	40.9	340	107	23.9	28
Dorchester	240	230	10	4.2	152	88	36.7	45
Frederick	905	619	286	31.6	853	52	5.7	102
Garrett	1,528	242	1,286	84.2	1,513	15	1.0	31
Harford	1,072	573	499	46.5	991	81	7.5	120
Howard	623	566	57	9.1	558	65	10.4	35
Kent	181	130	51	28.2	145	36	19.9	22
Montgomery	2,455	1,455	1,000	40.7	2,025	430	17.5	291
Prince Georges	2,445	1,751	694	28.4	2,046	399	16.3	572
Queen Annes	128	101	27	21.1	99	29	22.7	28
Saint Marys	318	300	18	5.7	275	43	13.5	25
Somerset	267	197	70	26.2	197	70	26.2	33
Talbot	183	167	16	8.7	138	45	24.6	37
Washington	2,355	827	1,528	64.9	2,260	95	4.0	167
Wicomico	612	439	173	28.3	471	141	23.0	104
Worcester	479	232	247	51.6	304	175	36.5	42

1/ Marriages refer to the number of ceremonies performed in Maryland Areas - not the number of persons married.
2/ Both partners were non-residents of Maryland; the percent is of all marriages performed.

TABLE 20. ABRIDGED LIFE TABLE FOR MARYLAND, 1949-51[a]

Selected ages	PROPORTION DYING (Q_x) Number dying during year per 1,000 alive at beginning of year				STATIONARY POPULATION (L_x) Survivors in year of age from 100,000 born alive				AVERAGE REMAINING LIFETIME (e_x) Average number of years of life remaining at beginning of year of age			
	White		Non-White		White		Non-White		White		Non-White	
	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
0- 1	26.08	20.77	48.08	36.10	97,706	98,205	95,993	97,022	66.32	71.90	58.09	61.95
5- 6	0.74	0.59	1.10	0.90	96,886	97,490	94,262	95,683	63.41	68.72	56.57	59.69
10-11	0.49	0.36	0.73	0.64	96,570	97,274	93,853	95,339	58.62	63.87	51.81	54.91
15-16	0.84	0.51	1.50	1.04	96,300	97,078	93,388	94,962	53.77	58.99	47.04	50.11
20-21	1.25	0.61	3.41	2.49	95,766	96,793	92,289	94,183	49.04	54.15	42.52	45.46
25-26	1.30	0.68	4.23	3.43	95,152	96,485	90,449	92,722	44.34	49.32	38.32	41.12
30-31	1.46	1.25	4.80	3.98	94,506	96,052	88,484	91,039	39.62	44.51	34.10	36.82
35-36	2.12	1.54	6.54	5.25	93,687	95,348	86,035	88,986	34.94	39.82	29.97	32.59
40-41	3.84	2.34	9.53	7.69	92,350	94,505	82,682	86,193	30.37	35.13	26.03	28.52
45-46	6.92	4.06	14.34	11.79	89,943	93,012	77,931	82,142	26.07	30.62	22.40	24.74
50-51	10.63	5.74	20.75	17.04	86,058	90,739	71,365	76,409	22.08	26.30	19.15	21.33
55-56	17.39	8.84	29.67	23.85	80,374	87,577	62,907	68,976	18.38	22.12	16.29	18.28
60-61	26.88	14.29	40.20	32.72	71,896	82,700	52,671	59,810	15.16	18.21	13.87	15.61
65-66	37.55	22.42	50.71	43.41	61,060	75,470	41,730	49,300	12.31	14.63	11.78	13.31
70-71	53.34	36.82	64.17	55.09	48,550	65,177	31,118	38,310	9.72	11.42	9.86	11.33
75-76	85.03	58.95	89.29	68.22	34,298	51,147	21,060	27,908	7.53	8.71	8.24	9.55
80-81	105.68	94.01	99.62	75.12	20,402	34,636	12,626	19,152	5.93	6.49	7.12	7.78
85-86	172.79	142.40	113.77	104.02	10,190	18,572	7,306	12,373	4.19	4.79	5.55	5.58
90-91	227.12	207.29	175.36	180.15	3,174	7,193	3,445	5,853	3.41	3.50	3.87	3.79
95-96	287.54	292.49	274.37	280.02	752	1,737	981	1,605	2.60	2.56	2.67	2.63
100-101	385.83	388.31	384.47	385.98	99	220	135	214	1.93	1.92	1.93	1.93
105-106	477.78	477.51	478.09	477.89	6	13	8	13	1.52	1.52	1.52	1.52

a/Data from "Maryland Life Tables, 1949-51", National Office of Vital Statistics, Dept. HEW, published 3/9/56. V.S. Special Reports, Vol. 41, Supplement 19.

DO NOT CIRCULATE